

CAF C

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent No: 6,842,760
Issue Date: January 11, 2005
Applicant(s): Dorgan et al.
Serial No.: 09/848,110
Filing Date: 3 May 2001
Title:

Group Art Unit: 2177
Examiner: Pham, Khanh B.
Atty. Docket: 26258002

**METHODS AND APPARATA FOR HIGHLY AUTOMATED QUALITY
ASSURANCE OF BUILDING CONSTRUCTION PROJECTS**

**REQUEST FOR CERTIFICATE OF CORRECTION OF OFFICE
MISTAKE (37 CFR §1.322)**

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

**Certificate
FEB 03 2005
of Correction**

A Certificate of Correction containing the following corrections is requested on behalf of the patentee or the patentee's assignee. The errors are the fault of the Office, apparently arising owing to typographical errors during the printing process, and are clearly disclosed in the records of the Office.

CORRECTIONS:

IN THE CLAIMS

Claim 1, Column 17, Line 11: Delete "tacking" and substitute therefor -- tracking --.

Claim 1, Column 17, Line 33: Delete "cool" and substitute therefor -- control --.

Claim 1, Column 17, Line 36: Delete "." and substitute therefor -- ; --

Claim 1, Column 17, After line 36 insert as a new paragraph: -- wherein the building construction project includes a construction phase wherein building components are installed, and wherein at least some of the building components have tracking forms physically attached

I certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

1-24-05
Date of Deposit

1-24-05
Date of Signature

Maria Layton
Signature

4 FEB 2005

prior to their installation, with these tracking forms including quality control indicator forms and completion indicators relating to tasks performed during installation. --.

Claim 6, Column 18, Line 3: Delete "machine readable" and substitute therefor -- machine-readable --.

Claim 10, Column 18, Line 20: Delete "clam" and substitute therefor -- claim 1 --.

Claim 15, Column 18, Line 41: Delete "tracing" and substitute therefor -- tracking --.

Claim 15, Column 18, Line 51: Delete ",", between the words "the" and "task".

In Closing

If any questions regarding the patent arise, please contact the undersigned attorney. Telephone calls are welcomed and encouraged. The Commissioner is authorized to charge any fees or credit any overpayments relating to this application to deposit account number 18-2055.

For the Applicant,



Craig A. Fieschko, Reg. No. 39,668
DEWITT ROSS & STEVENS, S.C.
Firststar Financial Centre
8000 Excelsior Drive, Suite 401
Madison, Wisconsin 53717-1914
Telephone: (608) 828-0722
Facsimile: (608) 831-2106
cf@dewittross.com

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.
(Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO : 6,842,760
DATED : January 11, 2005
INVENTOR(S) : Dorgan et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

IN THE CLAIMS

Claim 1, Column 17, Line 11: Delete "tacking" and substitute therefor -- tracking --.

Claim 1, Column 17, Line 33: Delete "cool" and substitute therefor -- control --.

Claim 1, Column 17, Line 36: Delete "." and substitute therefor -- ; --

Claim 1, Column 17, After line 36 insert as a new paragraph: -- wherein the building construction project includes a construction phase wherein building components are installed, and wherein at least some of the building components have tracking forms physically attached prior to their installation, with these tracking forms including quality control indicator forms and completion indicators relating to tasks performed during installation. --.

Claim 6, Column 18, Line 3: Delete "machine readable" and substitute therefor -- machine-readable --.

Claim 10, Column 18, Line 20: Delete "clam" and substitute therefor -- claim 1 --.

Claim 15, Column 18, Line 41: Delete "tracing" and substitute therefor -- tracking --.

Claim 15, Column 18, Line 51: Delete "," between the words "the" and "task".

MAILING ADDRESS OF SENDER:

Craig A. Fieschko
DeWitt Ross & Stevens S.C.
8000 Excelsior Drive
Madison, WI 53717-1914

PATENT NO. 6,842,760

No. of additional copies

➡ 1

Burden Hour Statement: This form is estimated to take 1.0 hour to complete. Time will vary depending upon the needs of the individual case. Any comment on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.
(Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO : 6,842,760
DATED : January 11, 2005
INVENTOR(S) : Dorgan et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

IN THE CLAIMS

Claim 1, Column 17, Line 11: Delete "tacking" and substitute therefor -- tracking --.

Claim 1, Column 17, Line 33: Delete "cool" and substitute therefor -- control --.

Claim 1, Column 17, Line 36: Delete "." and substitute therefor -- ; --

Claim 1, Column 17, After line 36 insert as a new paragraph: -- wherein the building construction project includes a construction phase wherein building components are installed, and wherein at least some of the building components have tracking forms physically attached prior to their installation, with these tracking forms including quality control indicator forms and completion indicators relating to tasks performed during installation. --.

Claim 6, Column 18, Line 3: Delete "machine readable" and substitute therefor -- machine-readable --.

Claim 10, Column 18, Line 20: Delete "clam" and substitute therefor -- claim 1 --.

Claim 15, Column 18, Line 41: Delete "tracing" and substitute therefor -- tracking --.

Claim 15, Column 18, Line 51: Delete "," between the words "the" and "task".

MAILING ADDRESS OF SENDER:

Craig A. Fieschko
DeWitt Ross & Stevens S.C.
8000 Excelsior Drive
Madison, WI 53717-1914


PATENT NO. 6,842,760

No. of additional copies

⇒ 1

Burden Hour Statement: This form is estimated to take 1.0 hour to complete. Time will vary depending upon the needs of the individual case. Any comment on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

FEB 2005



CofC

RANKIN, HILL, PORTER & CLARK LLP

ATTORNEYS AT LAW
4080 ERIE STREET
WILLOUGHBY, OHIO 44094-7836
E-mail: spaw@rankinhill.com

(216) 566-9700
FAX (216) 566-9711
www.rankinhill.com

January 20, 2005

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Certificate
FEB 03 2005
of Correction

Re: U.S. Patent Application for:
"SEMICONDUCTOR SATURABLE ABSORBER
DEVICE AND LASER"
Serial No. 10/097500; Filed March 14, 2002
Patent No. 6826219; Issued November 30, 2004
First Named Inventor: Kurt Weingarten et al.
Our Reference No. FRG-13078

Dear Sir/Madam:

A Certificate of Correction under 35 U.S.C. 254 is hereby requested to correct Patent Office printing errors in the above-identified patent. Enclosed herewith is a proposed Certificate of Correction (Form No. PTO/SB/44) for consideration.

It is requested that the Certificate of Correction be completed and mailed at an early date to the undersigned attorney of record. The proposed corrections are obvious ones and do not in any way change the sense of the application.

We understand that a check is not required since the errors were on the part of the Patent and Trademark Office in printing the patent.

Very truly yours,

David E. Spaw, Reg. No. 34732

DES:pa
Enclosures

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on the date indicated below.

Signature of Person Mailing Paper

1/20/05
Date

David E. Spaw
Printed Name of Person Mailing Paper

8 FEB 2005

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : 6,826,219
DATED : November 30, 2004
INVENTOR(S) : Weingarten et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

- Column 17, Line 26, (Claim 1, Line 25), delete "lay red" and insert --layered--.
- Column 17, Line 43, (Claim 5, Line 1), before "said" insert --wherein--.
- Column 18, Line 44, (Claim 19, Line 15), delete "levered" and insert --layered--.
- Column 19, Line 3, (Claim 23, Line 3), after "said" delete "d".
- Column 19, Line 4, (Claim 23, Line 4), delete "vice" and insert --device--.

MAILING ADDRESS OF SENDER:

David E. Spaw
Rankin, Hill, Porter & Clark LLP
4080 Erie Street
Willoughby, Ohio 44094-7836

PATENT NO. 6,826,219

No. of additional copies

➡ 0

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

8 FEB 2005